



RESOLUTION G2017-023

RESOLUTION AUTHORIZING THE TOWNSHIP ADMINISTRATOR TO PURCHASE SWINGS FROM WALNUT GROVE PLAYGROUNDS FOR SYMMES, HOME OF THE BRAVE AND HOPEWELL PARKS IN THE AMOUNT OF \$4,585.00

WHEREAS, it has been determined by the Trustees that swings would make a nice addition to the parks; and

WHEREAS, on March 10, 2017 the staff met with a representative from Walnut Grove Playgrounds and reached a determination on what type of swings they recommend to the Trustees to purchase; and

WHEREAS, it has been recommended to the Trustees to place a swing at Symmes, Home of the Brave and Hopewell Park so that the residents may enjoy each of those park areas; and

WHEREAS, Walnut Grove Playgrounds participates in the TIPS USA program which is similar to State Term Contract where Symmes Township is a member therefore the Township would not be required to bid out the equipment to multiple vendors; and

WHEREAS, pursuant to Ohio Revised Code §505.261, the Board of Trustees shall devise plans for the maintenance and improvement of the park and award all contracts for maintenance and improvement in the manner provided by the law governing township trustees in awarding contracts for public improvements.

NOW, THEREFORE, BE IT RESOLVED by the Board of Trustees of Symmes Township, Hamilton County, Ohio:

Section 1. The Symmes Township Trustees hereby authorizes the Township Administrator to purchase swings from Walnut Grove Playgrounds in the amount of Four Thousand Five Hundred Eighty-Five Dollars and No Cents (\$4,585.00).

Section 2. The funds for the park improvements shall be taken from the Parks Levy Fund (#12).

Section 3. The Fiscal Officer is hereby authorized to make payment to Walnut Grove Playgrounds in the amount of \$4,585.00 once the equipment has

been delivered and the Public Works Director has given final approval of the project.


Section 4. Upon majority vote does hereby dispense with the requirement that this Resolution be read on two separate days and hereby authorizes the adoption of this Resolution upon its first reading.

Section 5. This Resolution shall take effect and be enforced from and after the earliest period allowed by law.


ADOPTED MAY 2, 2017 – RESOLUTION G2017-023

Vote Record: Ms. Leis aye Mr. Bryant Ave Mr. Beck Aye


BOARD OF TRUSTEES:



Jodie L. Leis, President



Kenneth N. Bryant, Vice President



Philip J. Beck, Trustee

ATTEST:

Carol A. Sims, Fiscal Officer

APPROVED AS TO FORM:



Kevin McDonough, Law Director

Bill Pitman

RECEIVED
MAY 23 2017
0170
SYMMEC

From: ken schmithorst <walnutgroveplay@gmail.com>
Sent: Tuesday, March 21, 2017 12:25 PM
To: Bill Pitman
Subject: Bench swing
Attachments: B6WBCLASSICSWING.pdf; WG Quotes 1 Template r.pdf

See attached for bench swing quote. Should have Banyan Tree price later today or morning

--
Sincerely,

Ken Schmithorst

For me and my house we will serve the Lord.

☿ Please consider the environment before printing this e-mail or attachments



Walnut Grove Playgrounds web site

Xccent Play web site

<https://www.instagram.com/walnutgroveplaygrounds/>

<https://www.facebook.com/Walnut-Grove-Playgrounds-116987324988223/?fref=ts>

For Innovative play equipment Contact Ken Schmithorst


Walnut Grove Playgrounds
513-923-4880 cell
800-488-1384 toll free
walnutgroveplay@gmail.com
www.walnutgroveplay.com



B6WBCLASSICSWINGS

6' CLASSIC BENCH WITH BACK
SWING INGROUND MOUNT DESIGN


WEBCOAT PRODUCTS
P.O. BOX 3160
McALESTER, OKLAHOMA 74501
1-800-505-5101
FAX: (918)426-5924
E-MAIL: WEBCOAT@WEBCOAT.COM




Please take the time to locate and identify each part. Assemble the units on a smooth flat surface. It is also helpful to lay the tops and seats on cardboard or a drop cloth to prevent scratching of the surface during assembly. All parts have been pre-cut and pre-drilled for ease of assembly. All holes are slotted to allow for easy assembly and for final levelling of tops and seats to frames. Fully assemble all parts without totally tightening nuts and bolts. After all assembled go back and retighten nuts to bolts. **DO NOT OVER TIGHTEN NUTS TO BOLTS.** Over tightened nuts can crack the plastisol coating. All the necessary quantities of parts required are listed in this assembly instructions.

DO NOT BEGIN ASSEMBLY UNTIL YOU HAVE READ THESE INSTRUCTIONS AND ARE FAMILIAR WITH THE PARTS.

PARTS IDENTIFICATION



(A) S6SWING



(B) FSWING6CPIPE



(C) FSWING FRAME



(D) SWINGHANGER



(E) CHAIN18



(F) CHAIN26

PARTS LIST

ITEM	PART#	DESCRIPTION	QTY.
A	S6CLASSICSWING	6' SEAT WITH BACK	1
B	FSWING6CPIPE	CONNECTING PIPE	1
C	FSWINGP	SWING FRAME	2
D	SWINGHANGER	HANGER FOR SWING	2
E	CHAIN18	63" CHAIN	2
F	CHAIN26	26" CHAIN	2

ITEM	HARDWARE DESCRIPTION	QTY.
HW1	5/16" X 18 NYL LOCKNUTS	4
HW2	5/16" X 18GA CAP BOLTS	4
HW3	5/16" FLAT WASHERS	8
HW4	BOLT GUARDS	4


ASSEMBLY TOOLS REQUIRED

2- 1/2" WRENCHES

HARDWARE IDENTIFICATION



(HW1) 5/16" X 18 NYL LOCKNUTS



(HW2) 5/16" X 18 GAUGE CAP BOLTS



(HW3) 5/16" FLAT WASHERS



(HW4) BOLT GUARDS

ASSEMBLY PROCEDURES

STEP 1

FOLLOWING THE FOOTING DIAGRAM BELOW, DIG TWO IN LINE HOLES APPROXIMATELY 24" DEEP BY 12" ROUND. THE DISTANCE BETWEEN HOLES 1 AND 2 IS 96" CENTER TO CENTER.

STEP 2


CONNECT SWING FRAMES WITH CONNECTING PIPE. THEN SET THE FRAMES IN HOLES ON THE SAME CENTER DISTANCE AS THE HOLES. MAKE SURE THE BENCH FRAMES ARE 76" ABOVE GROUND LEVEL AND ARE IN LINE. PLUMB THE FRAMES AND FILL WITH CONCRETE. LET STAND FOR 24 HOURS BEFORE COMPLETING THESE ASSEMBLY INSTRUCTIONS.


STEP 3

MOUNT THE SEATS BY MEANS OF FOUR 5/16" X 1 1/2" HEXBOLTS, EIGHT 5/16" FLAT WASHERS, AND FOUR 5/16" NYLOCK NUTS THROUGH THE SLOTTED HOLES ON THE SEATS AND THROUGH THE SLOTTED HOLES ON THE CHAIN.

STEP 4

TIGHTEN ALL NUTS ON ALL BOLTS AND PLACE THE BOLT GUARDS ON ALL NUTS. DO NOT OVER TIGHTEN THE NUTS AS THIS COULD CAUSE THE PLASTISOL COATING TO CRACK.





SPECIFICATIONS

6' POLY VINYL COATED CLASSIC STYLE BENCH WITH BACK. THE ONE PIECE DESIGN CREATES THE CONTEMPORARY LOOK WITH THE MAXIMUM OF STRENGTH. FRAME IS INGROUND MOUNT DESIGN.

COATED WITH A 1/8" TO 1/4" THICK PLASTISOL ULTRAVIOLET STABILIZED VINYL COATING FUSED AND BAKED TO A 90 % GLOSS.

SEAT HEIGHT IS 18" APPROXIMATELY. BENCH HEIGHT IS 32" APPROXIMATELY. TOTAL OVERALL DIMENSIONS ARE 72" X 29".

SEAT IS MADE FROM HEAVY DUTY 3/4" #9 EXPANDED METAL INSIDE A FRAME MADE OF 11GA FLAT STEEL.

THE UNDER STRUCTURE IS MADE FROM HEAVY WALL 2 3/8" TUBING IN A THREE PIECE DESIGN AND THEN COATED WITH A BAKED ON DRY POLYESTER POWDER COAT FINISH.

ALL HARDWARE IS NON-CORROSIVE.

WEIGHT FOR THE B6WBMODSWINGS IS 140 LBS.

MAINTENANCE

To maintain luster it is recommended to wash, rinse, and dry the units after prolonged use. Check for loose bolts and nuts and tighten as needed. Contact the factory for genuine Webcoat part replacements if needed.

